Technical Sheet

APB100/150Z
Adjustable Elevated Post Base


APB features a post mounting plate on a screw allowing it to be adjusted to a specific standoff height ranging from 100-150 mm.

Suitable for post sizes 100 x 100 mm to 200 x 200 mm.






APB100/150



Fixation pied poteau APB100/150 sur support rigide



Adjustable post base APB100/150



Fixation pied poteau APB100/150 sur support rigide

Features

Material

- S235JR
- zinc nickel + extra coating silver

Benefits

- Simple, height adjustable
- nice surface

Applications

Header member

- Solid or glulam timber.


Applications


- Post support.
- Garage ports.
- Pergola.

Technical Sheet

APB100/150Z
Adjustable Elevated Post Base

Technical Data





Rozměry a typické hodnoty

Reference	konektor rozměry									
	rozměry výrobku[mm]							Top plate otvory	Bottom plate otvory	ostatní
	A[mm]	B[mm]	D[mm]	E[mm]	F[mm]	E[mm]	Tloušťka[mm]	kulatý Ø12[mm]	kulatý Porteur[mm]	hmotnost[kg]
APB100/150Z	100	100	130	130	100-150	20	4	4	4	1.3



Product capacities - Timber to concrete


Reference	patka sloupku únosnost				
	výrobek capacities - dřevo to beton[kN]				
	počet of Fasteners				Characteristic capacities - dřevo C24[kN]
	On post		On beton		$R_{1,k}$*
	množství	typ	množství	typ	
APB100/150Z	4	Ø10*	4.0	Ø10**	58/kmod^0,5

* screw LAG10080 , Ø10x80
** Refer to the Simpson Strong-Tie anchor product range for suitable anchors. Anchor solutions depend on the concrete type, spacing and edge distances.

Installation

Fixing

- M10 Bolts on concrete
- Ø10mm screws on post



Fixation pied poteau APB100/150 sur support rigide

Copyright by Simpson Strong-Tie®