

Technical Sheet

PPC
Adjustable Elevated Post Base

PPC features a post mounting plate on a screw allowing it to be adjusted to a specific standoff height ranging from 130-190 mm to 280-340mm
Suitable for post sizes from a size of 100 x 100 mm .







Features

Material

- **S235JR**
  zinc nickel + extra coating silver

Benefits

- Simple, height adjustable
- adjustable after installation
- nice surface
- all load direction possible

Applications

Header member

- Solid or glulam timber.


Applications

- Post support.
- Garage ports.
- Pergola.
- small halls

Technical Sheet

PPC
Adjustable Elevated Post Base

Technical Data



Product dimensions

Reference	konektor rozměry										
	rozměry výrobku[mm]								Top plate otvory	Bottom plate otvory	ostatní
	A[mm]	B[mm]	D[mm]	E[mm]	F[mm]	E[mm]	t_1[mm]	t_2[mm]	kulatý Ø6.5[mm]	kulatý Ø12[mm]	hmotnost[kg]
PPC14/20BZ	80	80	130	130	140-200	24	10	4	4	4	1.5
PPC19/25BZ	80	80	130	130	190-250	24	10	4	4	4	1.7
PPC24/30BZ	80	80	130	130	240-300	24	10	4	4	4	1.9
PPC29/35BZ	80	80	130	130	290-350	24	10	4	4	4	1.9

Product capacities - Timber to concrete

Reference	patka sloupku únosnost						
	výrobek capacities - dřevo to beton						
	počet of Fasteners				Characteristic capacities - dřevo C24[kN]		
	On post		On beton		$R_{1,k}$	$R_{2,k}$	R3,k
	množství	typ	množství	typ			
PPC14/20BZ	4	Ø6*	4.0	Ø10**	min (130 ; 93 /kmod)	min (11.9 ; 10.3 /kmod)	min (3.0 ; 2.4 /kmod)
PPC19/25BZ	4	Ø6*	4.0	Ø10**	min (130 ; 93 /kmod)	min (11.9 ; 10.3 /kmod)	min (3.0 ; 1.9 /kmod)
PPC24/30BZ	4	Ø6*	4.0	Ø10**	min (130 ; 93 /kmod)	min (11.9 ; 10.3 /kmod)	1.6 /kmod
PPC29/35BZ	4	Ø6*	4.0	Ø10**	min (130 ; 93 /kmod)	min (11.9 ; 10.3 /kmod)	1.4 /kmod

* screw TTZNFS6x100 (art. 74497)
** Refer to the Simpson Strong-Tie anchor product range for suitable anchors. Typical anchor solutions are BOAXII, VT-HP depending on the concrete type, spacing and edge distances.

PPC
Adjustable Elevated Post Base


Installation


Fixing


- M10 Bolts
- Ø6mm skewed screws on post

Installation

Fix to the foundation with concrete/mechanical anchor system. Fix to the post using Ø6mm skewed screws. A center hole Ø16mm help with the placing of PPC at the column.
After installation the height can adjusted with a 32mm open-end wrench in a range of ~60mm.







Copyright by Simpson Strong-Tie®