

Technical Sheet


PPJBTPB
Garden post bases


PPJBT are recommended for creating small structures such as garden fences. Very easy to disassembled, they are particularly suitable for temporary structures. PPJBT must be bolted.













Light structures on rigid dupport



Features

Material

- Steel DD11 according to NF EN 10111.
- Black painting.

Benefits

- Reinforced plate 2.5 mm thick providing greater resistance to deformation.
- Precut plate corners for improved safety.

Applications


Header member


- **Supporting member:** solid wood, glued-laminated wood, composite lumber, etc.
- **Supported member:** solid wood, glued-laminated wood, composite lumber, etc.

Technical Sheet

PPJBTPB
Garden post bases

Technical Data





Rozměry a typické hodnoty

Reference	konektor rozměry									
	rozměry výrobku[mm]							otvory		ostatní
	A[mm]	B[mm]	C[mm]	D[mm]	E[mm]	t_1[mm]	t_2[mm]	Top	Plate	hmotnost[kg]
								Ø	Ø12	
PPJBT70PB	71	150	71	150	150	2	2.5	4	4	1.2
PPJBT90PB	91	150	91	150	150	2	2.5	4	4	1.5

Installation


Fixing


Post:


- Bolts Ø10 mm
- Lag screws Ø 10 mm.
- SSH Ø10 mm

Plate:

- *Mechanical anchor*: WA M10-78/5 pin, LAG 10-80 lag screw.
- *Chemical anchor:* AT-HP resin + LMAS M10-120/25 threaded rod.







Copyright by Simpson Strong-Tie®