
Technical Sheet


KIT FIX PPJBT

Square post base on plate "ready to fix"

The square post bases on plate PPJBT are dedicated to built small structures as fence or light structures for garden. Easy to uninstall, they can be bolted on concrete or rigid support or screwed on timber.







Fences on rigid support



Light structures on rigid dupport

Features

Material

- Acier DD11 suivant NF EN 10111,
- Finition galvanisation à chaud suivant NF EN ISO 1461,
- Épaisseur corps : 2 à 3 mm selon les modèles,
- Épaisseur platine : 2,5 à 3 mm selon les modèles.

Vorteile

- Platine d'épaisseur 2,5 mm renforcée : grande résistance à la déformation,
- Angles de la platine découpés pour plus de sécurité,
- Compatible avec les sections de poteau courantes du marché.

Applications

Anwendbare Materialien

- **Porteur :** béton, acier, bois massif, lamellé-collé, bois composite...
- **Porté :** bois massif, lamellé-collé, bois composite...

Anwendungsbereich

- Clôtures de jardin, panneaux, claustras,
- Abris de jardin, bûchers de jardin, carports,
- Structures légères et ouvrages temporaires de jardin.


Technical Sheet


KIT FIX PPJBT

Square post base on plate "ready to fix"

Technical Data

Rozměry a typické hodnoty





Reference	konektor rozměry										
	rozměry výrobku[mm]							Top plate otvory	Bottom plate otvory	ostatní	
	A[mm]	B[mm]	C[mm]	D[mm]	E[mm]	t_1[mm]	t_2[mm]	kulatý Ø11	kulatý Porteur	Kit composition	hmotnost[kg]
KIT FIX PPJBT 70	71	150	71	150	150	2	2.5	4	4	1 PPJBT70 - 4 WA M10-78/5 - 2 LAG10050	1.5
KIT FIX PPJBT 90	91	150	91	150	150	2	2.5	4	4	1 PPJBT90 - 4 WA M10-78/5 - 2 LAG10050	1.7

Installation

Befestigung

Poteau :

- Boulons.
- Tirefonds LAG Ø10 mm.

Platine :

- *Cheville mécanique :* goujon WA M10-78/5, tirefond LAG 10-80.
- *Ancrage chimique :* résine AT-HP + tige filetée LMAS M10-120/25.

Copyright by Simpson Strong-Tie®