Technical Sheet

QDPRO76SKE
Tool special for timber

Teflon® tool for fixing timber to timber support and decking, perfectly suited to applications for fixing exotic wood deck boards to exotic joists WITHOUT pre-drilling. Accepts Quik Drive® tcollated screws from length 38 to 76 mm. 3 year warranty (subject to conditions)

















Features

Material

- Nástroj Teflon®, nevyžaduje mazání.

Vorteile

- Umístění nástroje na nástavci šroubováku a prodloužení přes 360 °.
- Montáž na elektrický šroubovák nebo rozšíření pouhým zaklapnutím.
- Zakřivené podavače pro rychlejší načítání pásu.

Available kits

- **QDPRO76SKE:** includes QDPRO76 tool, the extension, the case and the tips supplied (3 x BIT3SE),
- **QDPRO76SKM2522E:** includes QDPRO76 tool, a Makita® screwdriver, the extension, the case and the bits supplied (3 x BIT3SE).

Applications

Anwendungsbereich

- Wood on wood support,
- Decking...

Technical Sheet

QDPRO76SKE
Tool special for timber

Technical Data

Areas of use

Reference	Fasteners rozměry
	QD informace
	Ancrages
QDPRO76SKE	CBSDQ, SSWSCB, WSV

Installation



1. Remove the sleeve from your screwdriver



2. Remove the nozzle



3. Install the adapter



4. Insert the chuck



5. Engage the magazine on the chuck and snap it onto the adapter



6. Insert the strip of screws with the point facing upwards: your screwdriver is ready !

Copyright by Simpson Strong-Tie®